

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(camera\$2 same trimming near2 functions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:08
		(enab\$5 select\$5) same trimming\$2 adj2 function \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 12:15
S1	16	(exclud\$5 disab\$3) with (trimming\$2 adj2 (featur \$3 function\$2 attribut\$2 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:02
S2	36	(printer\$3 same trimming \$3 near5 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:02
S3	2	("20040021901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 12:02
S4	15	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut \$3 characteristic\$3 parameter\$3 setting\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:02
S5	13	(printer\$3 with trimming \$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:02
S6	1196	(obtain\$5 retriev\$5 determin\$5) with (printer \$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S7	185	(enab\$5 select\$5) same trimming\$2 adj2 function \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03

S8	1	(printer\$3 with trimming \$3 same edgeless\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S9	4	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with unavailable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S10	2	("5996893").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 12:03
S11	13	(printer\$3 with trimming \$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S12	1	(printer\$2 with trimming \$2) with (disabl\$5 exclud \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S13	211	(camera\$2 with obtain\$3 with print\$3 with (attribut \$3 characteristic\$3 parameter\$3 setting\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S14	9	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut \$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S15	1977	(printer\$3 with camera\$2) with function\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:03
S16	28	trimming\$2 adj2 (attribut \$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:04
S17	0	(printer\$2 adj2 driver\$2 with printer\$2 adj2 characteristic\$5 with available\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:04

S18	180	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with available\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:04
S19	114	(trimming\$4 with image \$2) with camera\$3 with print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:04
S20	9	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut \$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 12:04
S21	1196	(obtain\$5 retriev\$5 determin\$5) with (printer \$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:50
S22	16	(trimming\$4 with unavailable\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:50
S23	9	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut \$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:50
S24	4	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with unavailable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:50
S25	1	(obtain\$5 retriev\$5 determin\$5) with (printer \$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3) with (trim\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:50
S26	13	(printer\$2 with trimming \$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:50

S27	7	(enab\$5 select\$5) same trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:50
S28	20	(printer\$2 same trimming\$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:58
S29	28	trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:58
S30	15	(user adj2 interface same trimming\$2) with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:58
S31	150	(user adj2 interface same trimming\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:58
S32	24543	(358/1.1, 358/1.9, 358/1.11-1.18).cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:58
S33	7	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with exclud\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 13:58
S34	83	(pictbridge\$3) with capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:05
S35	0	(pictbridge\$3) with trim\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:06
S36	1	(pictbridge\$3) same trim\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:06

S37	64	(pictbridge\$3) and trim\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:07
S38	354	(pictbridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:09
S39	0	S38 and @ad< "20020805"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:12
S40	11	(pict near1 bridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:25
S41	2	jp-2001268485-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:28
S42	2	("20010022624").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 14:29
S43	2	jp-2002211082-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 14:39
S44	2	("20020093682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/07 14:39
S45	2	jp-09026867-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 15:13
S46	2	jp-11085422-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 15:14

S47	2	jp-2000137593-\$.cid.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 15:15
S48	25952	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S49	17	(exclud\$5 disabl\$3) with (trimming\$2 adj2 (featur \$3 function\$2 attribut\$2 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S50	37	(printer\$3 same trimming \$3 near5 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S51	16	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut \$3 characteristic\$3 parameter\$3 setting\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S52	13	(printer\$3 with trimming \$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S53	2130	(printer\$3 with camera\$2) with function\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S54	20	(trimming\$4 with unavailable\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S55	20	(printer\$2 same trimming \$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S56	17	(exclud\$5 disabl\$3) with (trimming\$2 adj2 (featur \$3 function\$2 attribut\$2 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59

S57	37	(printer\$3 same trimming\$3 near5 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S58	2	("20040021901").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 22:59
S59	16	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic\$3 parameter\$3 setting\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S60	13	(printer\$3 with trimming\$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S61	1246	(obtain\$5 retriev\$5 determin\$5) with (printer\$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S62	192	(enabl\$5 select\$5) same trimming\$2 adj2 function\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S63	1	(printer\$3 with trimming\$3 same edgeless\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S64	5	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with unavailable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S65	2	("5996893").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 22:59
S66	13	(printer\$3 with trimming\$3 adj2 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59

S67	1	(printer\$2 with trimming\$2) with (disabl\$5 exclud\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S68	220	(camera\$2 with obtain\$3 with print\$3 with (attribut\$3 characteristic\$3 parameter\$3 setting\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S69	10	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S70	2130	(printer\$3 with camera\$2) with function\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S71	28	trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S72	0	(printer\$2 adj2 driver\$2 with printer\$2 adj2 characteristic\$5 with available\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S73	189	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with available\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S74	117	(trimming\$4 with image\$2) with camera\$3 with print\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S75	10	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S76	1246	(obtain\$5 retriev\$5 determin\$5) with (printer\$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59

S77	20	(trimming\$4 with unavailable\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S78	10	(camera\$2 adj4 obtain\$3 with print\$3 near2 (attribut\$3 characteristic\$3 parameter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S79	5	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with unavailable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S80	1	(obtain\$5 retriev\$5 determin\$5) with (printer\$2 imag\$3 adj2 form\$3 adj2 apparatus\$2 copy adj2 machine\$2) adj2 (featur\$3 character\$5 parameter\$2 attribut\$3) with (trim\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S81	13	(printer\$2 with trimming\$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S82	7	(enab\$5 select\$5) same trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S83	20	(printer\$2 same trimming\$2 adj2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S84	28	trimming\$2 adj2 (attribut\$2 function\$2 feature\$2 parameter\$2 setting\$2) same printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S85	16	(user adj2 interface same trimming\$2) with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59

S86	162	(user adj2 interface same trimming\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S87	25952	(358/1.1, 358/1.9, 358/1.11-1.18).cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S88	7	(printer\$2 image\$2 adj2 form\$3 adj2 apparatus\$3) adj2 (characteristic\$3 attribute\$2 setting\$3 parameter\$2) with exclud \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S89	88	(pictbridge\$3) with capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S90	0	(pictbridge\$3) with trim\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S91	1	(pictbridge\$3) same trim \$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S92	67	(pictbridge\$3) and trim\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S93	428	(pictbridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S94	0	S93 and @ad< "20020805"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S95	14	(pict near1 bridge\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59

S96	2	jp-2001268485-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S97	2	("20010022624").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 22:59
S98	2	jp-2002211082-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S99	2	("20020093682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 22:59
S100	2	jp-09026867-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S101	2	jp-11085422-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S102	2	jp-2000137593-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 22:59
S103	69	(camera\$2 same trimming near2 function\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:07
S104	69	(camera\$2 same trimming near2 functions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 23:08

5/ 6/ 09 6:55:16 PM

C:\Documents and Settings\TPham12\ My Documents\ EAST\ Workspaces\ East Searches
\10629709-RCE3.wsp